



---

# Heavy Duty Industrial C a s t o r s


---



### Blue Elastic Rubber Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin  
**Wheel:** black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings



-20 / +60°C  
 4 KM/H  
 150 - 650 KG  
 120 - 297MM

#### Swivel Castor



								Order number
80	36	105x80	80x60	11x9	40	120	150	03P1S80A36CEPDX4015
100	36	105x80	80x60	11x9	40	130	200	03P1S100A36CEPDX4015
125	50	135x110	105x80	13.5x11	50	178	250	03P1S125A50CEPDX6020
150	50	135x110	105x80	13.5x11	53	210	350	03P1S150A50CEPDX6020
160	50	135x110	105x80	13.5x11	53	215	400	03P1S160A50CEPDX6020
200	50	135x110	105x80	13.5x11	55	245	500	03P1S200A50CEPDX6020
250	50	135x110	105x80	13.5x11	67	297	650	03P1S250A50CEPDX6020

#### Fixed Castor



								Order number
80	36	105x80	80x60	11x9	120	150	03P1F80A36CEPDX4015	
100	36	105x80	80x60	11x9	130	200	03P1F100A36CEPDX4015	
125	50	135x110	105x80	13.5x11	178	250	03P1F125A50CEPDX6020	
150	50	135x110	105x80	13.5x11	210	350	03P1F150A50CEPDX6020	
160	50	135x110	105x80	13.5x11	215	400	03P1F160A50CEPDX6020	
200	50	135x110	105x80	13.5x11	245	500	03P1F200A50CEPDX6020	
250	50	135x110	105x80	13.5x11	297	650	03P1F250A50CEPDX6020	

#### Swivel Castor With Total Lock




									Order number
80	36	105x80	80x60	11x9	40	120	120	150	03P1TB80A36CEPDX4015
100	36	105x80	80x60	11x9	40	120	130	200	03P1TB100A36CEPDX4015
125	50	135x110	105x80	13.5x11	50	162	178	250	03P1TB125A50CEPDX6020
150	50	135x110	105x80	13.5x11	53	162	210	350	03P1TB150A50CEPDX6020
160	50	135x110	105x80	13.5x11	53	162	215	400	03P1TB160A50CEPDX6020
200	50	135x110	105x80	13.5x11	55	162	245	500	03P1TB200A50CEPDX6020

### Blue Elastic Rubber Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin  
**Wheel:** black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings



-20 / +60°C  
 4 KM/H  
 250 - 650 KG  
 177.5 - 297MM

#### Swivel Castor With Front Lock



									Order number
125	50	135x110	105x80	13.5x11	50	147	178	250	03P1FB125A50CEPDX6020
150	50	135x110	105x80	13.5x11	53	147	210	350	03P1FB150A50CEPDX6020
160	50	135x110	105x80	13.5x11	53	147	215	400	03P1FB160A50CEPDX6020
200	50	135x110	105x80	13.5x11	55	156	245	500	03P1FB200A50CEPDX6020
250	50	135x110	105x80	13.5x11	67	156	297	650	03P1FB250A50CEPDX6020

#### Swivel Castor With Directional Lock



								Order number
125	50	135x110	105x80	13.5x11	50	178	250	03P1DB125A50CEPDX6020
150	50	135x110	105x80	13.5x11	53	210	350	03P1DB150A50CEPDX6020
160	50	135x110	105x80	13.5x11	53	215	400	03P1DB160A50CEPDX6020
200	50	135x110	105x80	13.5x11	55	245	500	03P1DB200A50CEPDX6020

#### Swivel Castor With Central Lock




									Order number
125	50	135x110	105x80	13.5x11	50	155.65	177.5	250	03P1CB125A50CEPDX6020
150	50	135x110	105x80	13.5x11	53	155.65	210	350	03P1CB150A50CEPDX6020
160	50	135x110	105x80	13.5x11	53	155.65	215	400	03P1CB160A50CEPDX6020
200	50	135x110	105x80	13.5x11	55	155.65	255	500	03P1CB200A50CEPDX6020

### Grey Elastic Rubber Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin

**Wheel:** grey polyamide wheel centre shore a 68+5 grey elastic rubber tread two ball bearings, grey samll plastic thread guards



-20 / +60°C   
 4 KM/H  
 300 - 400 KG   
 215 - 245MM

#### Swivel Castor



								Order number
160	46	135x110	105x80	13.5x11	53	215	300	03P1S160D46DETD6212
200	46	135x110	105x80	13.5x11	55	245	400	03P1S200D46DETD6212

#### Fixed Castor



							Order number
160	46	135x110	105x80	13.5x11	215	300	03P1F160D46DETD6212
200	46	135x110	105x80	13.5x11	245	400	03P1F200D46CETDA6212

#### Swivel Castor With Total Lock




									Order number
160	46	135x110	105x80	13.5x11	53	162	215	300	03P1TB160D46DETD6212
200	46	135x110	105x80	13.5x11	55	162	245	400	03P1TB200D46DETD6212

### Grey Elastic Rubber Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin

**Wheel:** grey polyamide wheel centre shore a 68+5 grey elastic rubber tread two ball bearings, grey samll plastic thread guards



-20 / +60°C   
 4 KM/H  
 300 - 400 KG   
 215 - 255MM

#### Swivel Castor With Front Lock



									Order number
160	46	135x110	105x80	13.5x11	53	147	215	300	03P1FB160D46DETD6212
200	46	135x110	105x80	13.5x11	55	156	245	400	03P1FB200D46CETDA6212

#### Swivel Castor With Directional Lock



								Order number
160	46	135x110	105x80	13.5x11	53	215	300	03P1DB160D46DETD6212
200	46	135x110	105x80	13.5x11	55	245	400	03P1DB200D46CETDA6212

#### Swivel Castor With Central Lock




									Order number
160	46	135x110	105x80	13.5x11	53	155.65	215	300	03P1CB160D46DETD6212
200	46	135x110	105x80	13.5x11	55	155.65	255	400	03P1CB200D46CETDA6212

### Black Elastic Rubber Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin  
**Wheel:** silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C  
 4 KM/H  
 180 - 650 KG  
 120 - 297MM

#### Swivel Castor



								Order number
80	38	105x80	80x60	11x9	40	120	180	03P1S80C38JEADX4015
100	40	105x80	80x60	11x9	40	130	200	03P1S100C40JEADX4015
125	50	135x110	105x80	13.5x11	50	178	270	03P1S125C50JEADX6020
150	50	135x110	105x80	13.5x11	53	210	350	03P1S150C50JEADX6020
160	50	135x110	105x80	13.5x11	53	215	400	03P1S160C50JEADX6020
200	50	135x110	105x80	13.5x11	55	245	500	03P1S200C50JEADX6020
250	50	135x110	105x80	13.5x11	67	297	650	03P1S250C50JEADX6020

#### Fixed Castor



								Order number
80	38	105x80	80x60	11x9	120	180	03P1F80C38JEADX4015	
100	40	105x80	80x60	11x9	130	200	03P1F100C40JEADX4015	
125	50	135x110	105x80	13.5x11	178	270	03P1F125C50JEADX6020	
150	50	135x110	105x80	13.5x11	210	350	03P1F150C50JEADX6020	
160	50	135x110	105x80	13.5x11	215	400	03P1F160C50JEADX6020	
200	50	135x110	105x80	13.5x11	245	500	03P1F200C50JEADX6020	
250	50	135x110	105x80	13.5x11	297	650	03P1F250C50JEADX6020	

#### Swivel Castor With Total Lock




									Order number
80	38	105x80	80x60	11x9	40	120	120	180	03P1TB80C38JEADX4015
100	40	105x80	80x60	11x9	40	120	130	200	03P1TB100C40JEADX4015
125	50	135x110	105x80	13.5x11	50	162	178	270	03P1TB125C50JEADX6020
150	50	135x110	105x80	13.5x11	53	162	210	350	03P1TB150C50JEADX6020
160	50	135x110	105x80	13.5x11	53	162	215	400	03P1TB160C50JEADX6020
200	50	135x110	105x80	13.5x11	55	162	245	500	03P1TB200C50JEADX6020

### Black Elastic Rubber Heavy Duty Industrial Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin  
**Wheel:** silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C  
 4 KM/H  
 270 - 650 KG  
 177.5 - 297MM

#### Swivel Castor With Front Lock



									Order number
125	50	135x110	105x80	13.5x11	50	147	178	270	03P1FB125C50JEADX6020
150	50	135x110	105x80	13.5x11	53	147	210	350	03P1FB150C50JEADX6020
160	50	135x110	105x80	13.5x11	53	147	215	400	03P1FB160C50JEADX6020
200	50	135x110	105x80	13.5x11	55	156	245	500	03P1FB200C50JEADX6020
250	50	135x110	105x80	13.5x11	67	156	297	650	03P1FB250C50JEADX6020

#### Swivel Castor With Directional Lock



								Order number
125	50	135x110	105x80	13.5x11	50	178	270	03P1DB125C50JEADX6020
150	50	135x110	105x80	13.5x11	54	210	350	03P1DB150C50JEADX6020
160	50	135x110	105x80	13.5x11	53	215	400	03P1DB160C50JEADX6020
200	50	135x110	105x80	13.5x11	55	245	500	03P1DB200C50JEADX6020

#### Swivel Castor With Central Lock




									Order number
125	50	135x110	105x80	13.5x11	50	155.65	177.5	270	03P1CB125C50JEADX6020
150	50	135x110	105x80	13.5x11	53	155.65	210	350	03P1CB150C50JEADX6020
160	50	135x110	105x80	13.5x11	53	155.65	215	400	03P1CB160C50JEADX6020
200	50	135x110	105x80	13.5x11	55	155.65	255	500	03P1CB200C50JEADX6020

### Black Elastic Rubber Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin  
**Wheel:** black welded pressed steel wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C   
 4 KM/H  
 400 - 500 KG   
 215 - 245MM

#### Swivel Castor



								Order number
160	50	135x110	105x80	13.5x11	53	215	400	03P1S160C50CESDX5620
200	50	135x110	105x80	13.5x11	55	245	500	03P1S200C50CESDX5620

#### Fixed Castor



							Order number
160	50	135x110	105x80	13.5x11	215	400	03P1F160C50CESDX5620
200	50	135x110	105x80	13.5x11	245	500	03P1F200C50CESDX5620

#### Swivel Castor With Total Lock




									Order number
160	50	135x110	105x80	13.5x11	53	162	215	400	03P1TB160C50CESDX5620
200	50	135x110	105x80	13.5x11	55	162	245	500	03P1TB200C50CESDX5620

### Black Elastic Rubber Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin  
**Wheel:** black welded pressed steel wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C   
 4 KM/H  
 400 - 500 KG   
 210 - 255MM

#### Swivel Castor With Front Lock



									Order number
160	50	135x110	105x80	13.5x11	53	147	215	400	03P1FB160C50CESDX5620
200	50	135x110	105x80	13.5x11	55	156	245	500	03P1FB200C50CESDX5620

#### Swivel Castor With Directional Lock



								Order number
160	50	135x110	105x80	13.5x11	53	215	400	03P1DB160C50CESDX5620
200	50	135x110	105x80	13.5x11	55	245	500	03P1DB200C50CESDX5620

#### Swivel Castor With Central Lock




									Order number
160	50	135x110	105x80	13.5x11	53	155.65	215	400	031CB160C50CESDX5620
200	50	135x110	105x80	13.5x11	55	155.65	255	500	031CB200C50CESDX5620

### Green Polyurethane Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin  
**Wheel:** grey polyamide wheel centre shore a 92 green injection polyurethane tread, two ball bearings, green samll plastic thread guards



-20 / +60°C   
 4 KM/H  
 300 - 500 KG   
 210 - 245MM

#### Swivel Castor



								Order number
150	40	135x110	105x80	13.5x11	53	210	300	03P1S150H40DUPDA6212
160	40	135x110	105x80	13.5x11	53	215	350	03P1S160H40DUPDA6212
200	50	135x110	105x80	13.5x11	55	245	500	03P1S200H50DUPDA6212

#### Fixed Castor



							Order number
150	40	135x110	105x80	13.5x11	210	300	03P1F150H40DUPDA6212
160	40	135x110	105x80	13.5x11	215	350	03P1F160H40DUPDA6212
200	50	135x110	105x80	13.5x11	245	500	03P1F200H50DUPDA6212

#### Swivel Castor With Total Lock




								Order number	
150	40	135x110	105x80	13.5x11	53	162	210	300	03P1TB150H40DUPDA6212
160	40	135x110	105x80	13.5x11	53	162	215	350	03P1TB160H40DUPDA6212
200	50	135x110	105x80	13.5x11	55	162	245	500	03P1TB200H50DUPDA6212

### Injection Green Polyurethane Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin  
**Wheel:** grey polyamide wheel centre shore a 92 green injection polyurethane tread, two ball bearings, green samll plastic thread guards



-20 / +60°C   
 4 KM/H  
 300 - 500 KG   
 210 - 255MM

#### Swivel Castor With Front Lock



									Order number
150	40	135x110	105x80	13.5x11	53	147	210	300	03P1FB150H40DUPDA6212
160	40	135x110	105x80	13.5x11	53	147	215	350	03P1FB160H40DUPDA6212
200	50	135x110	105x80	13.5x11	55	156	245	500	03P1FB200H50DUPDA6212

#### Swivel Castor With Directional Lock



								Order number
150	40	135x110	105x80	13.5x11	54	210	300	03P1DB150H40DUPDA6212
160	40	135x110	105x80	13.5x11	53	215	350	03P1DB160H40DUPDA6212
200	50	135x110	105x80	13.5x11	55	245	500	03P1DB200H50DUPDA6212

#### Swivel Castor With Central Lock




								Order number	
150	40	135x110	105x80	13.5x11	53	155.65	210	300	03P1CB150H40DUPDA6212
160	40	135x110	105x80	13.5x11	53	155.65	215	350	03P1CB160H40DUPDA6212
200	50	135x110	105x80	13.5x11	55	155.65	255	500	03P1CB200H50DUPDA6212

### Brown Polyurethane Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork,zinc-plated  
hardened and sealed double ball race without central king pin  
**Wheel:** silvery casting-aluminium wheel centre  
shore a 92 brown polyurethane tread, two ball bearings



-20 / +60°C  
 4 KM/H  
 180 - 800 KG  
 120 - 297MM

#### Swivel Castor



								Order number
80	38	105x80	80x60	11x9	40	120	180	03P1S80K38JUADX4015
100	38	105x80	80x60	11x9	40	130	200	03P1S100K38JUADX5015
125	50	135x110	105x80	13.5x11	50	178	450	03P1S125K50JUADX6020
150	50	135x110	105x80	13.5x11	53	210	550	03P1S150K50JUADX6020
160	50	135x110	105x80	13.5x11	53	215	600	03P1S160K50JUADX6020
200	50	135x110	105x80	13.5x11	55	245	800	03P1S200K50JUADX6020
250	50	135x110	105x80	13.5x11	67	297	800	03P1S250K50JUADX7520

#### Fixed Castor



							Order number
80	38	105x80	80x60	11x9	120	180	03P1F80K38JUADX4015
100	38	105x80	80x60	11x9	130	200	03P1F100K38JUADX5015
125	50	135x110	105x80	13.5x11	178	450	00P1F125K50JUADX6020
150	50	135x110	105x80	13.5x11	210	550	03P1F150K50JUADX6020
160	50	135x110	105x80	13.5x11	215	600	03P1F160K50JUADX6020
200	50	135x110	105x80	13.5x11	245	800	03P1F200K50JUADX6020
250	50	135x110	105x80	13.5x11	297	800	03P1F250K50JUADX7520

#### Swivel Castor With Total Lock




									Order number
80	38	105x80	80x60	11x9	40	120	120	180	03P1TB80K38JUADX4015
100	38	105x80	80x60	11x9	40	120	130	200	03P1TB100K38JUADX5015
125	50	135x110	105x80	13.5x11	50	162	178	450	03P1TB125K50JUADX6020
150	50	135x110	105x80	13.5x11	53	162	210	550	03P1TB150K50JUADX6020
160	50	135x110	105x80	13.5x11	53	162	215	600	03P1TB160K50JUADX6020
200	50	135x110	105x80	13.5x11	55	162	245	800	03P1TB200K50JUADX6020

### Brown Polyurethane Heavy Duty Industrial Castors

**Technical Information:**

**Housing:** pressed steel fork,zinc-plated  
hardened and sealed double ball race without central king pin  
**Wheel:** silvery casting-aluminium wheel centre  
shore a 92 brown polyurethane tread, two ball bearings



-20 / +60°C  
 4 KM/H  
 450 - 800 KG  
 177.5 - 297MM

#### Swivel Castor With Front Lock



									Order number
125	50	135x110	105x80	13.5x11	50	147	178	450	03P1FB125K50JUADX6020
150	50	135x110	105x80	13.5x11	53	147	210	550	03P1FB150K50JUADX6020
160	50	135x110	105x80	13.5x11	53	147	215	600	03P1FB160K50JUADX6020
200	50	135x110	105x80	13.5x11	55	156	245	800	03P1FB200K50JUADX6020
250	50	135x110	105x80	13.5x11	67	156	297	800	03P1FB250K50JUADX7520

#### Swivel Castor With Directional Lock



								Order number
125	50	135x110	105x80	13.5x11	50	178	450	03P1DB125K50JUADX6020
150	50	135x110	105x80	13.5x11	53	210	550	03P1DB150K50JUADX6020
160	50	135x110	105x80	13.5x11	53	215	600	03P1DB160K50JUADX6020
200	50	135x110	105x80	13.5x11	55	245	800	03P1DB200K50JUADX6020

#### Swivel Castor With Central Lock




									Order number
125	50	135x110	105x80	13.5x11	50	155.65	177.5	450	03P1CB125K50JUADX6020
150	50	135x110	105x80	13.5x11	53	155.65	210	550	03P1CB150K50JUADX6020
160	50	135x110	105x80	13.5x11	53	155.65	215	600	03P1CB160K50JUADX6020
200	50	135x110	105x80	13.5x11	55	155.65	255	800	03P1CB200K50JUADX6020

### Brown Polyurethane Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin  
**Wheel:** black casting-iron wheel centre shore a 92 brown polyurethane tread, two ball bearings



-20 / +60°C   
 4 KM/H  
 300 - 800 KG   
 130 - 297MM

#### Swivel Castor



								Order number
100	38	105x80	80x60	11x9	40	130	300	03P1S100K38CUIDX4512
125	50	135x110	105x80	13.5x11	50	178	450	03P1S125K50CUIDX6020
150	50	135x110	105x80	13.5x11	53	210	800	03P1S150K50CUIDX6020
160	50	135x110	105x80	13.5x11	53	215	800	03P1S160K50CUIDX6020
200	50	135x110	105x80	13.5x11	55	245	800	03P1S200K50CUIDX6020
250	50	135x110	105x80	13.5x11	67	297	800	03P1S250K50CUIDX6025

#### Fixed Castor



							Order number
100	38	105x80	80x60	11x9	130	300	03P1F100K38CUIDX4512
125	50	135x110	105x80	13.5x11	178	450	03P1F125K50CUIDX6020
150	50	135x110	105x80	13.5x11	210	800	03P1F150K50CUIDX6020
160	50	135x110	105x80	13.5x11	215	800	03P1F160K50CUIDX6020
200	50	135x110	105x80	13.5x11	245	800	03P1F200K50CUIDX6020
250	50	135x110	105x80	13.5x11	297	800	03P1F250K50CUIDX6025

#### Swivel Castor With Total Lock




									Order number
100	38	105x80	80x60	11x9	40	120	130	300	03P1TB100K38CUIDX4512
125	50	135x110	105x80	13.5x11	50	162	178	450	03P1TB125K50CUIDX6020
150	50	135x110	105x80	13.5x11	53	162	210	800	03P1TB150K50CUIDX6020
160	50	135x110	105x80	13.5x11	53	162	215	800	03P1TB160K50CUIDX6020
200	50	135x110	105x80	13.5x11	55	162	245	800	03P1TB200K50CUIDX6025

### Brown Polyurethane Heavy Duty Industrial Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin  
**Wheel:** black casting-iron wheel centre 92 shore a brown polyurethane tread, two ball bearings



-20 / +60°C   
 4 KM/H  
 450 - 800 KG   
 178 - 297MM

#### Swivel Castor With Front Lock



									Order number
125	50	135x110	105x80	13.5x11	50	147	178	450	03P1FB125K50CUIDX6020
150	50	135x110	105x80	13.5x11	53	147	210	800	03P1FB150K50CUIDX6020
160	50	135x110	105x80	13.5x11	53	147	215	800	03P1FB160K50CUIDX6020
200	50	135x110	105x80	13.5x11	55	156	245	800	03P1FB200K50CUIDX6020
250	50	135x110	105x80	13.5x11	67	156	297	800	03P1FB250K50CUIDX6025

#### Swivel Castor With Directional Lock



								Order number
125	50	135x110	105x80	13.5x11	50	178	450	03P1DB125K50CUIDX6020
150	50	135x110	105x80	13.5x11	53	210	800	03P1DB150K50CUIDX6020
160	50	135x110	105x80	13.5x11	53	215	800	03P1DB160K50CUIDX6020
200	50	135x110	105x80	13.5x11	55	245	800	03P1DB200K50CUIDX6020

#### Swivel Castor With Central Lock




									Order number
125	50	135x110	105x80	13.5x11	50	155.65	178	450	03P1CB125K50CUIDX6020
150	50	135x110	105x80	13.5x11	53	155.65	210	800	03P1CB150K50CUIDX6020
160	50	135x110	105x80	13.5x11	53	155.65	215	800	03P1CB160K50CUIDX6020
200	50	135x110	105x80	13.5x11	55	155.65	255	800	03P1CB200K50CUIDX6020



### Green Elastic Polyurethane Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork,zinc-plated  
hardened and sealed double ball race without central king pin  
**Wheel:** silvery casting-aluminium wheel centre  
shore a 85 green elastic polyurethane tread, two ball bearings



-20 / +60°C   
 4 KM/H  
 180 - 800 KG   
 120 - 297MM

#### Swivel Castor



								Order number
80	38	105x80	80x60	11x9	40	120	180	03P1S80H38JUHADX4015
100	40	105x80	80x60	11x9	40	130	250	03P1S100H40JUHADX4015
125	50	135x110	105x80	13.5x11	50	178	400	03P1S125H50JUHADX6020
160	50	135x110	105x80	13.5x11	53	215	550	03P1S160H50JUHADX6020
200	50	135x110	105x80	13.5x11	55	245	700	03P1S200H50JUHADX6020
250	50	135x110	105x80	13.5x11	67	297	800	03P1S250H50JUHADX6020

#### Fixed Castor



							Order number
80	38	105x80	80x60	11x9	120	180	03P1F80H38JUHADX4015
100	40	105x80	80x60	11x9	130	250	03P1F100H40JUHADX4015
125	50	135x110	105x80	13.5x11	178	400	03P1F125H50JUHADX6020
160	50	135x110	105x80	13.5x11	215	550	03P1F160H50JUHADX6020
200	50	135x110	105x80	13.5x11	245	700	03P1F200H50JUHADX6020
250	50	135x110	105x80	13.5x11	297	800	03P1F250H50JUHADX6020

#### Swivel Castor With Total Lock




									Order number
80	38	105x80	80x60	11x9	40	120	120	180	03P1TB80H38JUHADX4015
100	40	105x80	80x60	11x9	40	120	130	250	03P1TB100H40JUHADX4015
125	50	135x110	105x80	13.5x11	50	162	178	400	03P1TB125H50JUHADX6020
160	50	135x110	105x80	13.5x11	53	162	215	550	03P1TB160H50JUHADX6020
200	50	135x110	105x80	13.5x11	55	162	245	700	03P1TB200H50JUHADX6020

### Green Elastic Polyurethane Heavy Duty Industrial Castors

**Technical Information:**

**Housing:** pressed steel fork,zinc-plated  
hardened and sealed double ball race without central king pin  
**Wheel:** silvery casting-aluminium wheel centre  
85 shore a green elastic polyurethane tread, two ball bearings



-20 / +60°C   
 4 KM/H  
 400 - 800 KG   
 177.5 - 297MM

#### Swivel Castor With Front Lock



									Order number
125	50	135x110	105x80	13.5x11	50	147	178	400	03P1FB125H50JUHADX6020
160	50	135x110	105x80	13.5x11	53	147	215	550	03P1FB160H50JUHADX6020
200	50	135x110	105x80	13.5x11	55	156	245	700	03P1FB200H50JUHADX6020
250	50	135x110	105x80	13.5x11	67	156	297	800	03P1FB250H50JUHADX6020

#### Swivel Castor With Directional Lock



								Order number
125	50	135x110	105x80	13.5x11	50	178	400	03P1DB125H50JUHADX6020
160	50	135x110	105x80	13.5x11	53	215	550	03P1DB160H50JUHADX6020
200	50	135x110	105x80	13.5x11	55	245	700	03P1DB200H50JUHADX6020

#### Swivel Castor With Central Lock




									Order number
125	50	135x110	105x80	13.5x11	50	155.65	177.5	400	03P1CB125H50JUHADX6020
160	50	135x110	105x80	13.5x11	53	155.65	215	550	03P1CB160H50JUHADX6020
200	50	135x110	105x80	13.5x11	55	155.65	255	700	03P1CB200H50JUHADX6020

### White Polyamide Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated  
hardened and sealed double ball race without central king pin  
**Wheel:** white injection polyamide, two ball bearings



-20 / +60°C  
 4 KM/H  
 350 - 800 KG  
 130 - 245MM

#### Swivel Castor



									Order number
100	38	105x80	80x60	11x9	40	130	350	03P1S100B38BPHDX5015	
125	50	135x110	105x80	13.5x11	50	178	700	03P1S125B50BPHDX6020	
150	50	135x110	105x80	13.5x11	53	210	800	03P1S150B50BPHDX6020	
160	50	135x110	105x80	13.5x11	53	215	800	03P1S160B50BPHDX6020	
200	50	135x110	105x80	13.5x11	55	245	800	03P1S200B50BPHDX6020	

#### Fixed Castor



								Order number
100	38	105x80	80x60	11x9	130	350	03P1F100B38BPHDX5015	
125	50	135x110	105x80	13.5x11	178	700	03P1F125B50BPHDX6020	
150	50	135x110	105x80	13.5x11	210	800	03P1F150B50BPHDX6020	
160	50	135x110	105x80	13.5x11	215	800	03P1F160B50BPHDX6020	
200	50	135x110	105x80	13.5x11	245	800	03P1F200B50BPHDX6020	

#### Swivel Castor With Total Lock




									Order number
100	38	105x80	80x60	11x9	40	120	130	350	03P1TB100B38BPHDX
125	50	135x110	105x80	13.5x11	50	162	178	700	03P1TB125B50BPHDX6020
150	50	135x110	105x80	13.5x11	53	162	210	800	03P1TB150B50BPHDX6020
160	50	135x110	105x80	13.5x11	53	162	215	800	03P1TB160B50BPHDX6020
200	50	135x110	105x80	13.5x11	55	162	245	800	03P1TB200B50BPHDX6020

### White Polyamide Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated  
hardened and sealed double ball race without central king pin  
**Wheel:** injection polyamide, two ball bearings



-20 / +60°C  
 4 KM/H  
 700 - 800 KG  
 177.5 - 255MM

#### Swivel Castor With Front Lock



									Order number
125	50	135x110	105x80	13.5x11	50	147	178	700	03P1FB125B50BPHDX6020
150	50	135x110	105x80	13.5x11	53	147	210	800	03P1FB150B50BPHDX6020
160	50	135x110	105x80	13.5x11	53	147	215	800	01P1FB160B50BPHDX6020
200	50	135x110	105x80	13.5x11	55	156	245	800	03P1FB200B50BPHDX6020

#### Swivel Castor With Directional Lock



									Order number
125	50	135x110	105x80	13.5x11	50	178	700	03P1DB125B50BPHDX6020	
150	50	135x110	105x80	13.5x11	54	210	800	03P1DB150B50BPHDX6020	
160	50	135x110	105x80	13.5x11	53	215	800	03P1DB160B50BPHDX6020	
200	50	135x110	105x80	13.5x11	55	245	800	03P1DB200B50BPHDX6020	

#### Swivel Castor With Central Lock




									Order number
125	50	135x110	105x80	13.5x11	50	155.65	177.5	700	03P1CB125B50BPHDX6020
150	50	135x110	105x80	13.5x11	53	155.65	210	800	03P1CB150B50BPHDX6020
160	50	135x110	105x80	13.5x11	53	155.65	215	800	03P1CB160B50BPHDX6020
200	50	135x110	105x80	13.5x11	55	155.65	255	800	03P1CB200B50BPHDX6020

### White Polyamide Heavy Duty Industrial Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated  
hardened and sealed double ball race without central king pin  
**Wheel:** white casting-polyamide, two ball bearings



-20 / +60°C  
 4 KM/H  
 350 - 800 KG  
 120 - 297MM

#### Swivel Castor



								Order number
80	38	105x80	80x60	11x9	40	120	350	03P1S80B38BPCDX5015
100	38	105x80	80x60	11x9	40	130	350	03P1S100B38BPCDX5015
125	50	135x110	105x80	13.5x11	50	178	800	03P1S125B50BPCDX6020
150	50	135x110	105x80	13.5x11	53	210	800	03P1S150B50BPCDX6020
160	50	135x110	105x80	13.5x11	53	215	800	03P1S160B50BPCDX6020
200	50	135x110	105x80	13.5x11	55	245	800	03P1S200B50BPCDX6020
250	50	135x110	105x80	13.5x11	67	297	800	03P1S250B50BPCDX7520

#### Fixed Castor



							Order number
80	38	105x80	80x60	11x9	120	350	03P1F80B38BPCDX5015
100	38	105x80	80x60	11x9	130	350	03P1F100B38BPCDX5015
125	50	135x110	105x80	13.5x11	178	800	03P1F125B50BPCDX6020
150	50	135x110	105x80	13.5x11	210	800	03P1F150B50BPCDX6020
160	50	135x110	105x80	13.5x11	215	800	03P1F160B50BPCDX6020
200	50	135x110	105x80	13.5x11	245	800	03P1F200B50BPCDX6020
250	50	135x110	105x80	13.5x11	297	800	03P1F250B50BPCDX7520

#### Swivel Castor With Total Lock




								Order number	
80	38	105x80	80x60	11x9	40	120	120	350	03P1TB80B38BPCDX5015
100	38	105x80	80x60	11x9	40	120	130	350	03P1TB100B38BPCDX5015
125	50	135x110	105x80	13.5x11	50	162	178	800	03P1TB125B50BPCDX6020
150	50	135x110	105x80	13.5x11	53	162	210	800	03P1TB150B50BPCDX6020
160	50	135x110	105x80	13.5x11	53	162	215	800	03P1TB160B50BPCDX6020
200	50	135x110	105x80	13.5x11	55	162	245	800	03P1TB200B50BPCDX6020

### White Casting-polyamide Heavy Duty Industrial Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated  
hardened and sealed double ball race without central king pin  
**Wheel:** white casting-polyamide, two ball bearings



-20 / +60°C  
 4 KM/H  
 800 KG  
 177.5 - 297MM

#### Swivel Castor With Front Lock



								Order number	
125	50	135x110	105x80	13.5x11	50	147	178	800	03P1FB125B50BPCDX6020
150	50	135x110	105x80	13.5x11	53	147	210	800	03P1FB150B50BPCDX6020
160	50	135x110	105x80	13.5x11	53	147	215	800	03P1FB160B50BPCDX6020
200	50	135x110	105x80	13.5x11	55	156	245	800	03P1FB200B50BPCDX6020
250	50	135x110	105x80	13.5x11	67	156	297	800	03P1FB250B50BPCDX7520

#### Swivel Castor With Directional Lock



								Order number
125	50	135x110	105x80	13.5x11	50	178	800	03P1DB125B50BPCDX6020
150	50	135x110	105x80	13.5x11	54	210	800	03P1DB150B50BPCDX6020
160	50	135x110	105x80	13.5x11	53	215	800	03P1DB160B50BPCDX6020
200	50	135x110	105x80	13.5x11	55	245	800	03P1DB200B50BPCDX6020

#### Swivel Castor With Central Lock




								Order number	
125	50	135x110	105x80	13.5x11	50	155.65	177.5	800	03P1CB125B50BPCDX6020
150	50	135x110	105x80	13.5x11	53	155.65	210	800	03P1CB150B50BPCDX6020
160	50	135x110	105x80	13.5x11	53	155.65	215	800	03P1CB160B50BPCDX6020
200	50	135x110	105x80	13.5x11	55	155.65	255	800	03P1CB200B50BPCDX6020

### Grey Elastic Rubber Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin  
**Wheel:** black polyamide wheel centre shore a 68+5 grey elastic rubber tread, two ball bearings



-20 / +60°C  
 4 KM/H  
 150 - 650 KG  
 120 - 297MM

#### Swivel Castor



								Order number
80	36	105x80	80x60	11x9	40	120	150	03P1S80D36CEPDX4015
100	36	105x80	80x60	11x9	40	130	200	03P1S100D36CEPDX4015
125	50	135x110	105x80	13.5x11	50	178	250	03P1S125D50CEPDX6020
150	50	135x110	105x80	13.5x11	53	210	350	03P1S150D50CEPDX6020
160	50	135x110	105x80	13.5x11	53	215	400	03P1S160D50CEPDX6020
200	50	135x110	105x80	13.5x11	55	245	500	03P1S200D50CEPDX6020
250	50	135x110	105x80	13.5x11	67	297	650	03P1S250D50CEPDX6020

#### Fixed Castor



							Order number
80	36	105x80	80x60	11x9	120	150	03P1F80D36CEPDX4015
100	36	105x80	80x60	11x9	130	200	03P1F100D36CEPDX4015
125	50	135x110	105x80	13.5x11	178	250	03P1F125D50CEPDX6020
150	50	135x110	105x80	13.5x11	210	350	03P1F150D50CEPDX6020
160	50	135x110	105x80	13.5x11	215	400	03P1F160D50CEPDX6020
200	50	135x110	105x80	13.5x11	245	500	03P1F200D50CEPDX6020
250	50	135x110	105x80	13.5x11	297	650	03P1F250D50CEPDX6020

#### Swivel Castor With Total Lock




									Order number
80	36	105x80	80x60	11x9	40	120	120	150	03P1TB80D36CEPDX4015
100	36	105x80	80x60	11x9	40	120	130	200	03P1TB100D36CEPDX4015
125	50	135x110	105x80	13.5x11	50	162	178	250	03P1TB125D50CEPDX6020
150	50	135x110	105x80	13.5x11	53	162	210	350	03P1TB150D50CEPDX6020
160	50	135x110	105x80	13.5x11	53	162	215	400	03P1TB160D50CEPDX6020
200	50	135x110	105x80	13.5x11	55	162	245	500	03P1TB200D50CEPDX6020

### Blue Elastic Rubber Heavy Duty Castors

**Technical Information:**

**Housing:** pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin  
**Wheel:** black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings



-20 / +60°C  
 4 KM/H  
 250 - 650 KG  
 177.5 - 297MM

#### Swivel Castor With Front Lock



									Order number
125	50	135x110	105x80	13.5x11	50	147	178	250	03P1FB125D50CEPDX6020
150	50	135x110	105x80	13.5x11	53	147	210	350	03P1FB150D50CEPDX6020
160	50	135x110	105x80	13.5x11	53	147	215	400	03P1FB160D50CEPDX6020
200	50	135x110	105x80	13.5x11	55	156	245	500	03P1FB200D50CEPDX6020
250	50	135x110	105x80	13.5x11	67	156	297	650	03P1FB250D50CEPDX6020

#### Swivel Castor With Directional Lock



								Order number
125	50	135x110	105x80	13.5x11	50	178	250	03P1DB125D50CEPDX6020
150	50	135x110	105x80	13.5x11	53	210	350	03P1DB150D50CEPDX6020
160	50	135x110	105x80	13.5x11	53	215	400	03P1DB160D50CEPDX6020
200	50	135x110	105x80	13.5x11	55	245	500	03P1DB200D50CEPDX6020

#### Swivel Castor With Central Lock



									Order number
125	50	135x110	105x80	13.5x11	50	155.65	177.5	250	03P1CB125D50CEPDX6020
150	50	135x110	105x80	13.5x11	53	155.65	210	350	03P1CB150D50CEPDX6020
160	50	135x110	105x80	13.5x11	53	155.65	215	400	03P1CB160D50CEPDX6020
200	50	135x110	105x80	13.5x11	55	155.65	255	500	03P1CB200D50CEPDX6020



---

# Super heavy Duty Industrial Castors

---




### Blue Elastic Rubber Super Heavy Duty Castors

**Technical Information:**

**Housing:** swivel head with tapered roller bearing and axial ball bearing, welded steel fork

**Wheel:** black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings



-20 / +60°C  
 4 KM/H  
 240 - 550 KG  
 148 - 305MM

#### Swivel Castor

								Order number
100	50	135x110	105x80	13.5x11	42	148	240	23P1S100A50CEPDX6015
125	50	135x110	105x80	13.5x11	50	170	270	23P1S125A50CEPDX6020
150	50	135x110	105x80	13.5x11	57	200	300	23P1S150A50CEPDX6020
160	50	135x110	105x80	13.5x11	57	205	350	23P1S160A50CEPDX6020
200	50	135x110	105x80	13.5x11	65	245	400	23P1S200A50CEPDX6020
250	50	135x110	105x80	13.5x11	80	305	550	23P1S250A50CEPDX6020

#### Fixed Castor

							Order number
100	50	135x110	105x80	13.5x11	148	240	23P1F100A50CEPDX6015
125	50	135x110	105x80	13.5x11	170	270	23P1F125A50CEPDX6020
150	50	135x110	105x80	13.5x11	200	300	23P1F150A50CEPDX6020
160	50	135x110	105x80	13.5x11	205	350	23P1F160A50CEPDX6020
200	50	135x110	105x80	13.5x11	245	400	23P1F200A50CEPDX6020
250	50	135x110	105x80	13.5x11	305	550	23P1F250A50CEPDX6020

#### Swivel Castor With Front Lock

									Order number
100	50	135x110	105x80	13.5x11	42	148.5	148	240	23P1FB100A50CEPDX6015
125	50	135x110	105x80	13.5x11	50	148.5	170	270	23P1FB125A50CEPDX6020
150	50	135x110	105x80	13.5x11	57	148.5	200	300	23P1FB150A50CEPDX6020
160	50	135x110	105x80	13.5x11	57	148.5	205	350	23P1FB160A50CEPDX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	400	23P1FB200A50CEPDX6020
250	50	135x110	105x80	13.5x11	80	148.5	305	550	23P1FB250A50CEPDX6020

#### Swivel Castor With Directional Lock


								Order number
100	50	135x110	105x80	13.5x11	42	148	240	23P1DB100A50CEPDX6015
125	50	135x110	105x80	13.5x11	50	170	270	23P1DB125A50CEPDX6020
150	50	135x110	105x80	13.5x11	57	200	300	23P1DB150A50CEPDX6020
160	50	135x110	105x80	13.5x11	57	205	350	23P1DB160A50CEPDX6020
200	50	135x110	105x80	13.5x11	65	245	400	23P1DB200A50CEPDX6020
250	50	135x110	105x80	13.5x11	80	305	550	23P1DB250A50CEPDX6020

### Black Elastic Rubber Super Heavy Duty Castors

**Technical Information:**

**Housing:** swivel head with tapered roller bearing and axial ball bearing, welded steel fork

**Wheel:** silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C  
 4 KM/H  
 280 - 550 KG  
 170 - 305MM

#### Swivel Castor

								Order number
125	50	135x110	105x80	13.5x11	50	170	280	23P1S125C50JEADX6020
150	50	135x110	105x80	13.5x11	57	200	300	23P1S150C50JEADX6020
160	50	135x110	105x80	13.5x11	57	205	350	23P1S160C50JEADX6020
200	50	135x110	105x80	13.5x11	65	245	450	23P1S200C50JEADX6020
250	50	135x110	105x80	13.5x11	80	305	550	23P1S200C50JEADX6020

#### Fixed Castor

							Order number
125	50	105x80	80x60	13.5x11	170	280	23P1F125C50JEADX6020
150	50	135x110	105x80	13.5x11	200	300	23P1F150C50JEADX6020
160	50	135x110	105x80	13.5x11	205	350	23P1F160C50JEADX6020
200	50	135x110	105x80	13.5x11	245	450	23P1F200C50JEADX6020
250	50	135x110	105x80	13.5x11	305	550	23P1F200C50JEADX6020

#### Swivel Castor With Front Lock

									Order number
125	50	135x110	105x80	13.5x11	50	148.5	170	280	23P1FB125C50JEADX6020
150	50	135x110	105x80	13.5x11	57	148.5	200	300	23P1FB150C50JEADX6020
160	50	135x110	105x80	13.5x11	57	148.5	205	350	23P1FB160C50JEADX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	450	23P1FB200C50JEADX6020
250	50	135x110	105x80	13.5x11	80	148.5	305	550	23P1FB200C50JEADX6020

#### Swivel Castor With Directional Lock


								Order number
125	50	135x110	105x80	13.5x11	50	170	280	23P1DB125C50JEADX6020
150	50	135x110	105x80	13.5x11	57	200	300	23P1DB150C50JEADX6020
160	50	135x110	105x80	13.5x11	57	205	350	23P1DB160C50JEADX6020
200	50	135x110	105x80	13.5x11	65	245	450	23P1DB200C50JEADX6020
250	50	135x110	105x80	13.5x11	80	305	550	23P1DB250C50JEADX6020

### Black Elastic Rubber Super Heavy Duty Castors

**Technical Information:**

**Housing:** swivel head with tapered roller bearing and axial ball bearing, welded steel fork

**Wheel:** black welded pressed steel wheel centre 68+5 shore a black elastic rubber tread, two ball bearings



	-20 / +60°C		4 KM/H
	205 - 245 KG		350 - 450MM

#### Swivel Castor



								Order number
160	50	135x110	105x80	13.5x11	57	205	350	23P1S160C50CESDX5620
200	50	135x110	105x80	13.5x11	65	245	450	23P1S200C50CESDX5620

#### Fixed Castor



							Order number
160	50	135x110	105x80	13.5x11	205	350	23P1F160C50CESDX5620
200	50	135x110	105x80	13.5x11	245	450	23P1F200C50CESDX5620

#### Swivel Castor With Front Lock



									Order number
160	50	135x110	105x80	13.5x11	57	148.5	205	350	23P1FB160C50CESDX5620
200	50	135x110	105x80	13.5x11	65	148.5	245	450	23P1FB200C50CESDX5620

#### Swivel Castor With Directional Lock




								Order number
160	50	135x110	105x80	13.5x11	57	205	350	23P1DB160C50CESDX5620
200	50	135x110	105x80	13.5x11	65	245	450	23P1DB200C50CESDX5620

### Green Polyurethane Super Heavy Duty Castors

**Technical Information:**

**Housing:** swivel head with tapered roller bearing and axial ball bearing, welded steel fork

**Wheel:** grey polyamide wheel centre shore a 92 green injection polyurethane tread two ball bearings, green samll plastic thread guards



	-20 / +60°C		4 KM/H
	300 - 500 KG		200 - 245MM

#### Swivel Castor



								Order number
150	40	135x110	105x80	13.5x11	57	200	300	23P1S150H40DUPDA6212
160	40	135x110	105x80	13.5x11	57	205	350	23P1S160H40DUPDA6212
200	50	135x110	105x80	13.5x11	65	245	500	23P1S200H50DUPDA6212

#### Fixed Castor



							Order number
150	40	135x110	105x80	13.5x11	200	300	23P1F150H40DUPDA6212
160	40	135x110	105x80	13.5x11	205	350	23P1F160H40DUPDA6212
200	50	135x110	105x80	13.5x11	245	500	23P1F200H50DUPDA6212

#### Swivel Castor With Front Lock



									Order number
150	40	135x110	105x80	13.5x11	57	148.5	200	300	23P1FB150H40DUPDA6212
160	40	135x110	105x80	13.5x11	57	148.5	205	350	23P1FB160H40DUPDA6212
200	50	135x110	105x80	13.5x11	65	148.5	245	500	23P1FB200H50DUPDA6212

#### Swivel Castor With Directional Lock




								Order number
150	40	135x110	105x80	13.5x11	57	200	300	23P1DB150H40DUPDA6212
160	40	135x110	105x80	13.5x11	57	205	350	23P1DB160H40DUPDA6212
200	50	135x110	105x80	13.5x11	65	245	500	23P1DB200H50DUPDA6212

### Green Elastic Polyurethane Super Heavy Duty Castors

**Technical Information:**

**Housing:** swivel head with tapered roller bearing and axial ball bearing, welded steel fork

**Wheel:** silvery casting-aluminium wheel centre shore a 85 green elastic polyurethane tread, two ball bearings



	-20 / +60°C		4 KM/H
	510 - 700 KG		205 - 305MM

#### Swivel Castor



								Order number
160	50	135x110	105x80	13.5x11	57	205	510	23P1S160H50JHUDX6020
200	50	135x110	105x80	13.5x11	65	245	600	23P1S200H50JHUDX6020
250	50	135x110	105x80	13.5x11	80	305	700	23P1S250H50JHUDX6020

#### Fixed Castor



							Order number
160	50	135x110	105x80	13.5x11	205	510	23P1F160H50JHUDX6020
200	50	135x110	105x80	13.5x11	245	600	23P1F200H50JHUDX6020
250	50	135x110	105x80	13.5x11	305	700	23P1F250H50JHUDX6020

#### Swivel Castor With Front Lock



									Order number
160	50	135x110	105x80	13.5x11	57	148.5	205	510	23P1FB160H50JHUDX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	600	23P1FB200H50JHUDX6020
250	50	135x110	105x80	13.5x11	80	148.5	305	700	23P1FB250H50JHUDX6020

#### Swivel Castor With Directional Lock




								Order number
160	50	135x110	105x80	13.5x11	57	205	510	23P1DB160H50JHUDX6020
200	50	135x110	105x80	13.5x11	65	245	600	23P1DB200H50JHUDX6020
250	50	135x110	105x80	13.5x11	80	305	700	23P1DB250H50JHUDX6020

### Round Green Elastic Polyurethane Super Heavy Duty Castors

**Technical Information:**

**Housing:** swivel head with tapered roller bearing and axial ball bearing, welded steel fork

**Wheel:** silvery casting-aluminium wheel centre shore a 85 round green elastic polyurethane tread, two ball bearings



	-20 / +60°C		4 KM/H
	510 - 600 KG		205 - 245MM

#### Swivel Castor



								Order number
160	50	135x110	105x80	13.5x11	57	205	510	23P1S160H50JURDX6020
200	50	135x110	105x80	13.5x11	65	245	600	23P1S200H50JURDX6020

#### Fixed Castor



							Order number
160	50	135x110	105x80	13.5x11	205	510	23P1F160H50JURDX6020
200	50	135x110	105x80	13.5x11	245	600	23P1F200H50JURDX6020

#### Swivel Castor With Front Lock



									Order number
160	50	135x110	105x80	13.5x11	57	148.5	205	510	23P1FB160H50JURDX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	600	23P1FB200H50JURDX6020

#### Swivel Castor With Directional Lock



								Order number
160	50	135x110	105x80	13.5x11	57	205	510	23P1DB160H50JURDX6020
200	50	135x110	105x80	13.5x11	65	245	600	23P1DB200H50JURDX6020




### Brwon Polyurethane Super Heavy Duty Castors

**Technical Information:**

**Housing:** swivel head with tapered roller bearing and axial ball bearing, welded steel fork

**Wheel:** silvery casting-aluminium wheel centre shore a 92 polyurethane tread, two ball bearings



-20 / +60°C  
 4 KM/H  
 400 - 1000 KG  
 170 - 305MM

#### Swivel Castor



								Order number
125	50	135x110	80x60	13.5x11	50	170	400	23P1S125K50JUADX6020
150	50	135x110	105x80	13.5x11	57	200	500	23P1S150K50JUADX6020
160	50	135x110	105x80	13.5x11	57	205	600	23P1S160K50JUADX6020
200	50	135x110	105x80	13.5x11	65	245	800	23P1S200K50JUADX6020
250	50	135x110	105x80	13.5x11	80	305	1000	23P1S250K50JUADX6020

#### Fixed Castor



								Order number
125	50	135x110	80x60	13.5x11	170	400	23P1F125K50JUADX6020	
150	50	135x110	105x80	13.5x11	200	500	23P1F150K50JUADX6020	
160	50	135x110	105x80	13.5x11	205	600	23P1F160K50JUADX6020	
200	50	135x110	105x80	13.5x11	245	800	23P1F200K50JUADX6020	
250	50	135x110	105x80	13.5x11	305	1000	23P1F250K50JUADX6020	

#### Swivel Castor With Front Lock



									Order number
125	50	135x110	80x60	13.5x11	50	148.5	170	400	23P1FB125K50JUADX6020
150	50	135x110	105x80	13.5x11	57	148.5	200	500	23P1FB150K50JUADX6020
160	50	135x110	105x80	13.5x11	57	148.5	205	600	23P1FB160K50JUADX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	800	23P1FB200K50JUADX6020
250	50	135x110	105x80	13.5x11	80	148.5	305	1000	23P1FB250K50JUADX6020

#### Swivel Castor With Directional Lock




								Order number
125	50	135x110	80x60	13.5x11	50	170	400	23P1DB125K50JUADX6020
150	50	135x110	105x80	13.5x11	57	200	500	23P1DB150K50JUADX6020
160	50	135x110	105x80	13.5x11	57	205	600	23P1DB160K50JUADX6020
200	50	135x110	105x80	13.5x11	65	245	800	23P1DB200K50JUADX6020
250	50	135x110	105x80	13.5x11	80	305	1000	23P1DB250K50JUADX6020

### Brwon Polyurethane Super Heavy Duty Castors

**Technical Information:**

**Housing:** swivel head with tapered roller bearing and axial ball bearing, welded steel fork

**Wheel:** black casting-iron wheel centre 92 shore a brwon polyurethane tread, two ball bearings



-20 / +60°C  
 4 KM/H  
 600 - 1300 KG  
 170 - 305MM

#### Swivel Castor



								Order number
125	50	135x110	105x80	13.5x11	50	170	600	23P1S125K50JUIDX6020
150	50	135x110	105x80	13.5x11	57	200	800	23P1S150K50JUIDX6020
160	50	135x110	105x80	13.5x11	57	205	850	23P1S160K50JUIDX6020
200	50	135x110	105x80	13.5x11	65	245	1000	23P1S200K50JUIDX6020
250	50	135x110	105x80	13.5x11	80	305	1300	23P1S250K50JUIDX6020

#### Fixed Castor



								Order number
125	50	135x110	105x80	13.5x11	170	600	23P1F125K50JUIDX6020	
150	50	135x110	105x80	13.5x11	200	800	23P1F150K50JUIDX6020	
160	50	135x110	105x80	13.5x11	205	850	23P1F160K50JUIDX6020	
200	50	135x110	105x80	13.5x11	245	1000	23P1F200K50JUIDX6020	
250	50	135x110	105x80	13.5x11	305	1300	23P1F250K50JUIDX6020	

#### Swivel Castor With Front Lock



									Order number
125	50	135x110	105x80	13.5x11	50	148.5	170	600	23P1FB125K50JUIDX6020
150	50	135x110	105x80	13.5x11	57	148.5	200	800	23P1FB150K50JUIDX6020
160	50	135x110	105x80	13.5x11	57	148.5	205	850	23P1FB160K50JUIDX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	1000	23P1FB200K50JUIDX6020
250	50	135x110	105x80	13.5x11	80	148.5	305	1300	23P1FB250K50JUIDX6020

#### Swivel Castor With Directional Lock



								Order number
125	50	135x110	105x80	13.5x11	50	170	600	23P1DB125K50JUIDX6020
150	50	135x110	105x80	13.5x11	57	200	800	23P1DB150K50JUIDX6020
160	50	135x110	105x80	13.5x11	57	205	850	23P1DB160K50JUIDX6020
200	50	135x110	105x80	13.5x11	65	245	1000	23P1DB200K50JUIDX6020
250	50	135x110	105x80	13.5x11	80	305	1300	23P1DB250K50JUIDX6020

### White Polyamide Super Heavy Duty Castors

**Technical Information:**

**Housing:** swivel head with tapered roller bearing and axial ball bearing, welded steel fork  
**Wheel:** white injection polyamide, two ball bearings



#### Swivel Castor

									Order number
125	50	135x110	105x80	13.5x11	50	170	700	23P1S125B50BPHDX6020	
150	50	135x110	105x80	13.5x11	57	200	800	23P1S150B50BPHDX6020	
160	50	135x110	105x80	13.5x11	57	205	800	23P1S160B50BPHDX6020	
200	50	135x110	105x80	13.5x11	65	245	800	23P1S200B50BPHDX6020	

#### Fixed Castor

							Order number
125	50	135x110	105x80	13.5x11	170	700	23P1F125B50BPHDX6020
150	50	135x110	105x80	13.5x11	200	800	23P1F150B50BPHDX6020
160	50	135x110	105x80	13.5x11	205	800	23P1F160B50BPHDX6020
200	50	135x110	105x80	13.5x11	245	800	23P1F200B50BPHDX6020

#### Swivel Castor With Front Lock

									Order number
125	50	135x110	105x80	13.5x11	50	148.5	170	700	23P1FB125B50BPHDX6020
150	50	135x110	105x80	13.5x11	57	148.5	200	800	23P1FB150B50BPHDX6020
160	50	135x110	105x80	13.5x11	57	148.5	205	800	23P1FB160B50BPHDX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	800	23P1FB200B50BPHDX6020

#### Swivel Castor With Directional Lock

								Order number
125	50	135x110	105x80	13.5x11	50	170	700	23P1DB125B50BPHDX6020
150	50	135x110	105x80	13.5x11	57	200	800	23P1DB150B50BPHDX6020
160	50	135x110	105x80	13.5x11	57	205	800	23P1DB160B50BPHDX6020
200	50	135x110	105x80	13.5x11	65	245	800	23P1DB200B50BPHDX6020

### White Polyamide Super Heavy Duty Castors

**Technical Information:**

**Housing:** swivel head with tapered roller bearing and axial ball bearing, welded steel fork  
**Wheel:** white casting-polyamide, two ball bearings



#### Swivel Castor

									Order number
100	50	135x110	105x80	13.5x11	42	148	1500	23P1S100B50BPCDX6020	
125	50	135x110	105x80	13.5x11	50	170	1500	23P1S125B50BPCDX6020	
150	50	135x110	105x80	13.5x11	57	200	1500	23P1S150B50BPCDX6020	
160	50	135x110	105x80	13.5x11	57	205	1500	23P1S160B50BPCDX6020	
200	50	135x110	105x80	13.5x11	65	245	1500	23P1S200B50BPCDX6020	
250	50	135x110	105x80	13.5x11	80	305	1500	23P1S250B50BPCDX6020	

#### Fixed Castor

							Order number
100	50	135x110	105x80	13.5x11	148	1500	23P1F100B50BPCDX6020
125	50	135x110	105x80	13.5x11	170	1500	23P1F125B50BPCDX6020
150	50	135x110	105x80	13.5x11	200	1500	23P1F150B50BPCDX6020
160	50	135x110	105x80	13.5x11	205	1500	23P1F160B50BPCDX6020
200	50	135x110	105x80	13.5x11	245	1500	23P1F200B50BPCDX6020
250	50	135x110	105x80	13.5x11	305	1500	23P1F250B50BPCDX6020

#### Swivel Castor With Front Lock

									Order number
100	50	135x110	105x80	13.5x11	42	148.5	148	1500	23P1FB100B50BPCDX6020
125	50	135x110	105x80	13.5x11	50	148.5	170	1500	23P1FB125B50BPCDX6020
150	50	135x110	105x80	13.5x11	57	148.5	200	1500	23P1FB150B50BPCDX6020
160	50	135x110	105x80	13.5x11	57	148.5	205	1500	23P1FB160B50BPCDX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	1500	23P1FB200B50BPCDX6020
250	50	135x110	105x80	13.5x11	80	148.5	305	1500	23P1FB250B50BPCDX6020

#### Swivel Castor With Directional Lock

									Order number
100	50	135x110	105x80	13.5x11	42	148	1500	23P1DB100B50BPCDX6020	
125	50	135x110	105x80	13.5x11	50	170	1500	23P1DB125B50BPCDX6020	
150	50	135x110	105x80	13.5x11	57	200	1500	23P1DB150B50BPCDX6020	
160	50	135x110	105x80	13.5x11	57	205	1500	23P1DB160B50BPCDX6020	
200	50	135x110	105x80	13.5x11	65	245	1500	23P1DB200B50BPCDX6020	
250	50	135x110	105x80	13.5x11	80	305	1500	23P1DB200B50BPCDX6020	